

1/16

BEST AVAILABLE COPY




FIG. 1

BEST AVAILABLE COPY

2/16




FIG. 2




FIG. 3

BEST AVAILABLE COPY

3/16




FIG. 4

Scale (100 mm)

y 25  
x 170  
z 12

PRESSURE AT FILL/PACK SWITCHOVER

= 48.30 [MPa]  
[MPa]






FIG. 5

Scale (100 mm)

y 19  
x 165  
z -6

FIG. 6

4/16



BEST AVAILABLE COPIE

5/16




FIG. 7B




FIG. 7A

6/16




FIG. 8B




FIG. 8A

7/16

BEST AVAILABLE COPY




FIG. 9




FIG. 10

BEST AVAILABLE COPY

8/16




FIG. 11







FIG. 12



TRIANGLE A IS MATCHED TO TRIANGLE B



10/16




FIG. 16C




FIG. 16B




FIG. 16A

BEST AVAILABLE COPY

11/16




FIG. 17




FIG. 18

12/16

BEST AVAILABLE COPY




FIG. 19

Scale (200 mm)

x y -41  
z -21  
-17




FIG. 20

Scale (200 mm)

x y -41  
z -21  
-17

BEST AVAILABLE COPY

13/16




FIG. 21

Scale (200 mm)

x -41  
y -21  
z -17

BEST AVAILABLE COPY

14/16




FIG. 22

BEST AVAILABLE COPY

15/16




FIG. 23

16/16




FIG. 24